

Metas de Gestión Estudio Tarifario

Metas de Gestión	Unidad Medida	Meta Año 1	Ejecución por Mes												Año 2	Año 3	Año 4	Año 5															
			Nov-22	Dic-22	Ene-23	Feb-23	Mar-23	Abr-23	May-23	Jun-23	Jul-23	Ago-23	Sep-23	Oct-23																			
Retención de Trabajo <sup>1</sup>	%	76	81.2	93.60	84.3	90.15	78.8	96.45	75	101.33	77.8	97.69	79.6	95.48	83.4	91.13	85.6	88.79	80.71	94.16	88.8	85.59	87.5	86.86	86.9	87.46	73	73	71	71			
Agua No Facturada	%	55	53.08	103.26	56.63	96.79	56.10	97.70	53.45	102.54	59.15	92.67	56.52	103.26	57.94	103.26	55.99	97.90	56.35	97.27	55.66	98.48	51.74	105.94	54.46	100.64	54	53	51	49			
Iquitos		57	56.11	102.39	59.72	96.21	59.18	97.09	56.46	101.77	61.97	92.72	59.14	102.39	61.19	102.39	59.35	96.81	58.88	97.58	58.47	98.26	55.26	103.96	57.31	100.26	56	55	54	54			
Yumaguas		29	18.95	153.95	22.58	129.25	21.50	135.71	16.14	160.78	26.36	110.70	22.58	153.95	19.29	153.95	16.70	174.76	28.68	101.75	26.83	108.77	18.70	156.08	26.37	110.66	29	28	28	27			
Requerena		53	64.60	82.52	63.84	83.50	67.02	79.54	69.48	76.73	67.89	78.52	68.61	82.52	69.52	82.52	68.13	78.25	68.75	77.54	65.89	80.90	54.01	98.71	70.23	75.90	53	53	50	49			
Porcentaje de la ejecución de la reserva de mecanismos de retribución por servicios ecosistémicos (MRSE) <sup>1</sup>	%	22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	15,000	9.94	35	49	78	100			
Porcentaje de la ejecución de la reserva de gestión de riesgos de desastres y adaptación al cambio climático (GRD y ACC) <sup>2</sup>	%	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	100,000	59.39	100,000	59.39	100,000	59.39	100,000	59.39	33	59	81	100			
Porcentaje de la ejecución de la reserva de Control de Calidad y Programa de Adecuación Sanitaria (PCC y PAS) <sup>3</sup>	%	22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	105,143	25.31	43	65	86	100			
Instalación de Nuevos Medidores		1,283	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1,285	1,144	1,144	1,145			
Iquitos		1,142	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1,143	1,144	1,144	1,145			
Yumaguas		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Requerena		141	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	142	0	0	0			
Reemplazo de Medidores		3,093	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4,908	5,630	10,375	17,708			
Iquitos		1,379	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3,193	3,974	8,650	12,219			
Yumaguas		1,500	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1,500	1,500	1,500	5,273			
Requerena		214	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	215	216	216	216			
Catastro Técnico																												28	73	100	100		
Iquitos																												31	73	100	100		
Yumaguas																												28	70	100	100		
Requerena																															100		
Catastro comercial																															100		
Iquitos																															10	40	100
Yumaguas																															10	40	100
Requerena																															50	100	100
Continuidad																																	
Iquitos																																	
Yumaguas																																	
Requerena																																	
Prestación Promedio																																	
Iquitos																																	
Yumaguas																																	
Requerena																																	
mca																																	
Porcentaje de avance financiero del programa de inversiones de la EP	%	18	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Iquitos		45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Yumaguas		27	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Requerena		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	

**DR. JOHNNY VILLALBA**  
**GERENTE DE DESARROLLO OPERATIVO**  
**EPS SEDALORETO S.A.**

**Lic. Adra Ruth Citas Garcia**  
**Jefe Dpto. Planeamiento Prospectivo**  
**EPS SEDALORETO S.A.**